



CITY OF MANCHESTER
Health Department
Inspection Scores by Facility

Period from 10/01/2013 through 10/31/2013

Facility	Inspection Date	Score	Violation
7-Eleven 32996J, 111 Webster St			
	10/8/2013	87	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
99 Cent and Cigarette Market, 383 Kelley St			
	10/31/2013	98	No Critical Violations Observed
AFC Sushi @ Hannaford #178, 859 Hanover St			
	10/16/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection. No Violations Observed
Airport Diner Inc., 2280 Brown Ave			
	10/30/2013	72	03-COOKING OF FOOD - Potentially hazardous foods were not cooked to proper food temperatures and were not accompanied by a menu advisory. 03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours. 03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F. 03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements. 22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration. 28-SEWAGE (MOP WATER DISPOSAL) - Mop water was not being disposed of into an approved wastewater system (He-P 2302), ie. dumped onto the ground. 41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.

Facility	Inspection Date	Score	Violation
Alley Cat Pizzeria, 486 Chestnut St			
	10/1/2013	96	No Critical Violations Observed
Alltown Manchester, 2391 Brown Ave			
	10/25/2013	98	No Critical Violations Observed
Aloha Restaurant, 901 Hanover St			
	10/17/2013	89	No Critical Violations Observed
Annula's Pizza & Deli, 525 Chestnut St			
	10/31/2013	95	No Critical Violations Observed
Assumption Greek Orthodox Church, 111 Island Pond Rd			
	10/3/2013	96	No Critical Violations Observed
Athens Restaurant, 31 Central St			
	10/3/2013	91	No Critical Violations Observed
Baked Nostalgia Boutique Bakeries LLC, 250 Commercial St			
	10/17/2013	99	No Critical Violations Observed
Beech Street School, 333 Beech St			
	10/1/2013	96	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
Birch Hill Terrace, 200 Alliance St			
	10/30/2013	96	No Critical Violations Observed
Blackout Cafe, 1050 Holt Ave			
	10/7/2013	85	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination. 41-TOXICS LABELED - Toxic items were not labeled as to their contents.
Blake's Restaurant, 353 So. Main St			
	10/24/2013	91	41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
Burger King, 623 Second St			
	10/23/2013	91	No Critical Violations Observed
Candia Road Brewing, 840 Candia Rd			
	10/7/2013	98	No Critical Violations Observed
Candia Road Convenience, 836 Candia Rd			
	10/7/2013	90	No Critical Violations Observed
Candy Kingdom, 235 Harvard St			
	10/2/2013	98	No Critical Violations Observed
Central High School, 207 Lowell St			
	10/31/2013	99	No Critical Violations Observed
Convenience Plus Manchester, 20 Roundstone Dr			
	10/16/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
CVS Pharmacy #2257, 271 Mammoth Rd			
	10/9/2013	95	No Critical Violations Observed
D'Angelo Sandwich Shop, 673 Hooksett Rd			
	10/22/2013	82	03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
			30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
D'Angelo Sandwich Shop, 88 Harvey Rd			
	10/31/2013	86	28-SEWAGE (PROPERLY FUNCTIONING) - The establishment's septic system or sewage disposal system was not functioning properly, ie. back-ups or surfacing onto the ground.
			31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
D'Angelo Sandwich Shop, 900 Second St			
	10/1/2013	93	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
Dartmouth Hitchcock Manchester, 100 Hitchcock Way			
	10/4/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
DH's Doghouse LLC, 656 So. Mammoth Rd			
	10/2/2013	92	03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
Domino's Pizza, 212 Lowell St			
	10/31/2013	95	No Critical Violations Observed
Dunchris, LLC - Dunkin Donuts, 1037 Hanover St			
	10/10/2013	95	No Critical Violations Observed
Dunkin Donuts, 1602 Elm St			
	10/1/2013	98	No Critical Violations Observed
Dunkin Donuts, 1932 Wellington Rd			
	10/4/2013	96	No Critical Violations Observed
Dunkin Donuts, 20 Roundstone Dr			
	10/16/2013	99	No Critical Violations Observed
Dunkin Donuts, 510 Harvey Rd			
	10/31/2013	98	No Critical Violations Observed
Dunkin Donuts, 947 Second St			
	10/11/2013	99	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Fata Enterprises LLC Subway, 510 Harvey Rd			
	10/31/2013	98	No Critical Violations Observed
Freed's Bakery, 299 Pepsi Rd			
	10/8/2013	97	No Critical Violations Observed
Gossler Park School, 99 Sullivan St			
	10/21/2013	97	No Critical Violations Observed
Granite State Lunchbox @ UNH, 400 Commercial St			
	10/3/2013	97	No Critical Violations Observed
Hannaford Food & Drug #178, 859 Hanover St			
	10/16/2013	97	No Critical Violations Observed
Hillview Restaurant, 270 Amory St			
	10/10/2013	81	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-MEETS TIME/TEMP REQUIREMENTS - Establishment does not meet time/temp requirements.
			07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Indian Cuisine LLC, 15 Pearl St			
	10/3/2013	85	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
J Dubs Coffee, 1000 Elm St			
	10/3/2013	97	No Critical Violations Observed
Johnny Troy's Italian Specialties, 2075 So. Willow St			
	10/31/2013	90	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
Kindertree Learning Center, 162 Manchester St			
	10/16/2013	95	No Critical Violations Observed
Klemms Mobil, 1602 Elm St			
	10/1/2013	98	No Critical Violations Observed
Lake Ave Irving #02032, 425 Lake Ave			
	10/1/2013	88	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
Lee's Cake & Pastry, 79 Manchester St			
	10/1/2013	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Luisa's Italian Pizzeria, 671 Hooksett Rd			
	10/23/2013	85	12-GOOD HYGIENIC PRACTICES (EATING/DRINKING) - Employees were eating, and/or drinking in an unapproved location or via an unapproved method.
			41-TOXICS LABELED - Toxic items were not labeled as to their contents.
			41-TOXICS STORED - Toxic items were not stored away from food, utensils, food service items or incompatible chemicals.
			41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
M.S. Market, 176 Sagamore St			
	10/2/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Mahat Store LLC, 416 Chestnut St			
	10/1/2013	89	31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Manchester Christian Church, 250 Commercial St			
	10/17/2013	97	No Critical Violations Observed
Manchester West High School, 9 Notre Dame Ave			
	10/11/2013	97	No Critical Violations Observed
Maple Leaf Health Care Center, 198 Pearl St			
	10/2/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Margie's Dream, 172 Hayward St			
	10/22/2013	93	22-SANITIZATION RINSE- EXPOSURE TIME - Equipment did not contact the sanitization rinse for the appropriate amount of time.
McDonald's Restaurant, 907 Second St			
	10/10/2013	90	41-TOXICS USED - Toxic items were used in a manner not approved for food service applications or contrary to their label instructions.
McDonald's, 2287 Brown Ave			
	10/24/2013	93	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Meals on Wheels - Fitz Voqt, 182-191 Manchester St			
	10/30/2013	98	No Critical Violations Observed
Mike's Pub & Grub, 155 Lake Ave			
	10/4/2013	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Mr. Mike's, 1932 Wellington Rd			
	10/4/2013	88	07-CROSS-CONTAMINATION - Foods were not protected from cross contamination.
			31-HANDWASHING- ACCESSIBLE - The handsinks were not easily accessible, ie. blocked, used for storing equipment.
Page Street Express Mart, 1036 Hanover St			
	10/10/2013	91	No Critical Violations Observed
		97	No Critical Violations Observed
Papa Gino's, 111 C So. Willow St			
	10/30/2013	90	No Critical Violations Observed
Pappy's Pizza, Inc, 1531 No. Elm St			
	10/2/2013	91	No Critical Violations Observed
Parker Varney School, 195 McGregor St			
	10/8/2013	97	No Critical Violations Observed
	10/21/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Pizza Market, 845 Hanover St			
	10/16/2013	93	No Critical Violations Observed
Puerto Vallarta Mexican Grill LLC, 865 Second St			
	10/8/2013	86	03-COLD HOLDING TEMPERATURE - Potentially hazardous foods were not held at or below 41°F.
			03-COOLING OF PHF FOOD - Potentially hazardous foods were not cooled from 140°F to 75°F in 2 hours and from 75°F to 41°F within 4 more hours.
			03-HOT HOLDING TEMPERATURE - Potentially hazardous foods were not held at or above 140°F.
Radisson Hotel Manchester, 700 Elm St			
	10/2/2013	91	22-SANITIZATION RINSE- PROPER TEMPERATURE - The sanitization rinse was not maintained at the proper temperature.
Rite Aid #10276, 53 Hooksett Rd			
	10/16/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rite Aid #10278, 270 Mammoth Rd			
	10/9/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Rodriguez Restaurants LLC dba Blue Ox Food Box, 250 Commercial St			
	10/17/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed

Facility	Inspection Date	Score	Violation
Rodriguez Convenience Store LLC, 310 Maple St			
	10/22/2013	92	35-OUTER OPENINGS - The facilities outer openings have not been tightly sealed to the outside to prevent the entry of pests.
S & R Westside Market LLC, 149 Kelley St			
	10/31/2013	92	27-HOT AND COLD WATER UNDER PRESSURE - There was a lack of hot and or cold running water throughout the facility.
Sabroso, 353 Maple St			
	10/10/2013	98	No Critical Violations Observed
Scorpion Cafe, 271 Pine St			
	10/4/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed
Shorty's Mexican Roadhouse, 1050 Bicentennial Dr			
	10/31/2013	85	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
		86	22-SANITIZATION RINSE- PROPER CONCENTRATION - The sanitization rinse was not maintained at the proper concentration.
Simply Delish, LLC, 250 Commercial St			
	10/17/2013	96	No Critical Violations Observed
Subway, 881 Hanover St			
	10/17/2013	99	No Critical Violations Observed
Sweet Cierras LLC, 250 Commercial St			
	10/16/2013	96	No Critical Violations Observed
Sweet Kiwi Frozen Yogurt, 581 Second St			
	10/11/2013	94	31-HANDWASHING- FUNCTIONING - Handsinks were not properly functioning, ie. leaking onto the floor, not draining, broken hot/cold water supply devices.
The Gyro Spot, 1073 Elm St			
	10/2/2013	97	No Critical Violations Observed
Tidewater Catering Group LLC, 250 Commercial St			
	10/24/2013	95	No Critical Violations Observed
Uncle Bob's Superette, 435 Kelley St			
	10/31/2013	96	No Critical Violations Observed
USA Chicken and Biscuit, 990 Elm St			
	10/1/2013	93	No Critical Violations Observed
Venice Old Style Pizza, 610 Front St			
	10/28/2013	93	30-BACKFLOW (HOSE ATTACHMENT) - The establishment has hose connections without proper backflow protection, ie. sinks, dishwashing areas.
Waterworks Cafe, LLC, 250 Commercial St			
	10/10/2013	96	No Critical Violations Observed

Facility	Inspection Date	Score	Violation
Webster School, 2519 Elm St			
	10/28/2013	98	No Critical Violations Observed
Weston School, 1066 Hanover St			
	10/10/2013	100	00-NO VIOLATIONS NOTED DURING THIS INSPECTION - No violations were noted during this inspection.
			No Violations Observed